

SEQUENCE LISTING

<110> MOTOYAMA, Yasuo
OGATA, Tomoo
SAKAI, Kazuhisa

<120> GENES FOR DETECTING BACTERIA AND A METHOD FOR DETECTING BACTERIA BY
USING THE GENES

<130> MOTOYAMA=1

<140> 09/762,633

<141> 2001-02-12

<150> PCT/JP99/04341

<151> 1999-08-11

<150> JP 10/227177

<151> 1998-08-11

<160> 11

<170> PatentIn version 3.1

<210> 1

<211> 624

<212> DNA

<213> *Pectinatus frisingensis*

<400> 1

gaagtcgtaa caaggtagcc gtatcggaag gtgcggctgg atcacctcct ttctaaggat	60
taaaacaatc cgtcgagcac atccggaaca tgtattgttt ggttttgagg gtttctccct	120
caaaaaaata gatagaacta atggggggcgt agctcagctg ggagagcacc tgccttgcaa	180
gcaggggggtc aggagttcaa atctcctcgt ctccaccaga agagaaatgg gcctatagct	240
cagctggtta gagcgcacgc ctgataagcg tgagggtcagt agttcaagtc tacttaggcc	300
caccataatt gcacattgaa aactacacag aagaaaagca aagaacaatt aatcaccaat	360
gccaaacttg tgagaggaga ttttcaagag gatggcgggg aatagttgga ccaagcacia	420
ttaggaaact aaaaacaagc taagacaaaa catataaact taagctaaag gtgatattct	480
ggaggagact cgagaatata ataaacttac cagaagcggt cagatgcaag gaagcatgaa	540
agcgaatgaa gaaggcgtat tagtatacgc cgatgagtga gctgaaatga tgacgaagca	600
gatgagcggt tatggaaagt ttaa	624

<210> 2

<211> 442

<212> DNA

<213> *Pectinatus frisingensis*

<400> 2
gaagtcgtaa caaggtagcc gtatcggaag gtgcggtgg atcacctcct ttctaaggat 60
taaaacaatc cgtcgagcac atccggaaca tgtattgttt ggttttgagg gtttctccct 120
caaattattgc acattgaaaa ctacacagaa gaaaagcaaa gaacaattaa tcaccaatgc 180
caaacttgtg agaagagatt ttcaagagga tggcggggaa tagttggacc aagcacaatt 240
aggaaaactaa aaacaagcta agacaaaaca tataaactta agctaaagggt gatattcttg 300
aggagactcg agaataataat aaacttacca gaagcgttca gatgcaagga agcatgaaag 360
cgaatgaaga aggcgtatta gtatacgccg atgagtgagc tgaaatgatg acgaagcaga 420
tgagcgggta tggaaagttt aa 442

<210> 3
<211> 724
<212> DNA
<213> *Pectinatus cerevisiiphilus*

<400> 3
gaagtcgtaa caaggtagcc gtatcggaag gtgcggtgg atcacctcct ttctaaggat 60
ttgacaaaaa tctgtcgagt acatccggaa tatgtattgt ttggttttga gggtttctcc 120
ctcataaata tatagtagat acttgtaaga gtgtttatgg tatgtttaaa agctggtcgg 180
aaatattgtg gtgcaaaaaa atgcatggca gtagagaaga ctggtaaaaa aagaatgaac 240
taatgggggc gtagctcaga tgggagagca cctgccttgc aagcaggggg tcaggagtgc 300
aactctcttc gtctccacca gaagagaaag ggcctatagc tcagctgggt agagcgcacg 360
cctgataagc gtgaggtcag tagttcaagt ctacttaggc ccaccaatat tgcacattga 420
aaactacaca gaagaaagca aagaacaatt atcaccaatg ccaaacttgt aagagaaatc 480
gaggagagaa tggcggggaa tagttggacc aagcacaat taggaaaaga aacaaacgct 540
aagaaacaaa catataaact taagcgaaaa ggtgatattc tggaggaaac ttcagagtat 600
ataaacttac cagaagcgtt cagatgagag gaagggcaaa gctgagagaa gaaagcgtat 660
taatatacgc tgatgaacga agcaaagcac tgacaaagca gatggatggt tatgggaagt 720
taca 724

<210> 4
<211> 399
<212> DNA
<213> *Pectinatus cerevisiiphilus*

<400> 4
gaagtcgtaa caaggtagcc gtatcggaag gtgcggtgg atcacctcct ttctaaggat 60

ttgacaaaaa tctgtcgagt acatccggaa tatgtattgt ttggttttga gggtttctcc	120
ctcataaata ttgcacattg aaaactacac agaagaaagc aaagaacaat taccaccaat	180
gccaaacttg taagagaaat cgagaagaga atggcgggga atagttggac caagcacaaa	240
ttaggaaaag aaacaaacgc taagaaacaa acatataaac ttaagcgaaa aggtgatatt	300
ctggaggaaa cttcagagta tataaactta ccagaagcgt tcagatgcga ggaagggcaa	360
agcactgaca aagtagatgg atggttatgg gaagttaca	399

<210> 5
 <211> 19
 <212> DNA
 <213> *Pectinatus frisingensis*

<400> 5	
ccatcctctt gaaaatctc	19

<210> 6
 <211> 20
 <212> DNA
 <213> *Pectinatus frisingensis*

<400> 6	
tctcrtctca caagtttggc	20

<210> 7
 <211> 19
 <212> DNA
 <213> *Pectinatus cerevisiophilus*

<400> 7	
cactcttaca agtatctac	19

<210> 8
 <211> 20
 <212> DNA
 <213> *Pectinatus cerevisiophilus*

<400> 8	
ccacaatatt tccgaccagc	20

<210> 9
 <211> 20
 <212> DNA
 <213> *Pectinatus cerevisiophilus*

<400> 9	
agtcttctct actgccatgc	20

<210> 10
<211> 20
<212> DNA
<213> *Pectinatus frisingensis*

<400> 10
cgatatccaga gatggatatt 20

<210> 11
<211> 20
<212> DNA
<213> *Pectinatus cerevisiiphilus*

<400> 11
cgatatgcaga gatgcatatt 20